

Artech Andon Display Solutions; placed in the facility or in the production area, provides the publication of important information such as various data collected from the production, OEE values, targeted and actual production quantities, loom status on line or hall basis.

As Çizgi Teknoloji, we provide solutions with our Artech™ Industrial Computer Product Group to increase production efficiency and reduce cost and energy use in many leading industrial sectors such as automotive, white appliances, textile, food and medicine.



### Features;

- ✓ 4mm Tempered Glass Screen Safety Protection
- ✓ Suitable Design for Use in Industrial Environment Conditions
- ✓ 27" / 32" / 43" / 49" / 55" / 65" Screen Options
- ✓ SOC Technology
- ✓ Suitable for Use in Horizontal and Vertical Orientation
- ✓ High Viewing Angle and Contrast
- ✓ Suitable for 24/7 Operation, Durable and Long Lasting
- ✓ Monitor, Android or Windows Operating System Options
- ✓ Bracket Options Suitable for Different Mounting Options

### Area of Usage



SHOPPING



HEALTHCARE



EDUCATION



SMART CITY



ENTERTAINMENT



TOURISM



[www.cizgi.net](http://www.cizgi.net)



[www.artech-ipc.com.tr](http://www.artech-ipc.com.tr)



[cizgi-teknoloji](https://www.linkedin.com/company/cizgi-teknoloji)



ÇİZGİ TEKNOLOJİ



Color Options



Protected Against Impact  
and Dust



2-Year Standard  
Warranty and 5-Year  
Spare Parts Supply  
Warranty



Suitable for 24/7  
Operation, Durable and  
Long Lasting



Problem Analysis and  
Solution with Remote  
Connection



### Professional Information Display DPC-343

#### SİPARİŞ KODU

Cpu	: j1900/i5/i7
Besleme	: 220VAC
Ram	: 4GB
HDD	: 500GB HDD(OPS)/64/128/256GBSSD
Wi-Fi	: Opsiyonel



#### SİSTEM

Cpu	: Intel® Celeron j1900 / Intel® Icore i5/i7
Cache	: 2nd Level Depends on CPU
Memory	: 4GB
Video Ram	: Maks 128 MB Paylaşımli Hafıza
Chipset	: Intel® Soc / QM77
Watchdog Timer	: 255 Level Reset

#### INPUT/OUTPUT

Usb Port	: 2 x USB 2.0
LAN	: 1 x LAN Realtek Gigabit Ethernet
Wireless LAN	: Opsiyonel
Ses	: 3W Stereo Çıkış / 5W Speaker (Opsiyonel)

#### VERİ SAKLAMA

HDD Tipi	: Titreşime Karşı 2.5" HDD
HDD Depolama	: 500GB HDD/64 GB/128GB/256 GB SSD

#### BESLEME

Giriş	: 220VAC
-------	----------

#### LCD EKLAN

Boyut/Tip	: 43" LVDS
Maks. Çözünürlük	: 1920x1080
Pixel Pitch	: 0.4902 mm x 0.4902 mm
Maks. Renk	: 16.7 M
Parlaklık	: 450cd
Kontrast Oranı	: 1000/1
Görüş Açısı	: 178°(H),178°(V)
Arka Işık MTBF	: 50,000 Hours


#### VİDEO ÇIKIŞI

Tip	: HDMI (Opsiyonel)
Maks.Çözünürlük	: 1920x1080 (Opsiyonel)

#### ÇEVRESEL

Çalışma Sıcaklığı	: 0 ~ 60°C
Depolama Rutubeti	: 5 ~ 95% (Non-Condensing)
Kasa	: Ağır Şartlara Dayanımlı Metal Kasa
Ön Çerçeve	: Çerçevesiz / Çerçevesiz Cam (Opsiyonel)
Ağırlık	: Ekran Ölçüsüne Göre Değişken
Boyut	: Ekran Ölçüsüne Göre Değişken
Montaj	: Sıva Üstü/Ankastre (Opsiyonel)





Tel: +90 216 365 82 50  
Faks: +90 216 365 82 30



info@cizgi.net  
www.cizgi.net



Merve Mah. Necip Fazıl Cad. No:8 34791  
Sancaktepe - İstanbul