

Andon Display DPC-332-And

Artech Andon Display Solutions; placed in the facility or in the production area, provides the publication of important information such as various data collected from the production, OEE values, targeted and actual production quantities, loom status on line or hall basis.

As Çizgi Teknoloji, we provide solutions with our Artech™ Industrial Computer Product Group to increase production efficiency and reduce cost and energy use in many leading industrial sectors such as automotive, white appliances, textile, food and medicine.



Features;

- ✓ 4mm Tempered Glass Screen Safety Protection
- ✓ Suitable Design for Use in Industrial Environment Conditions
- ✓ 27" / 32" / 43" / 49" / 55" / 65" Screen Options
- ✓ SOC Technology
- ✓ Suitable for Use in Horizontal and Vertical Orientation
- ✓ High Viewing Angle and Contrast
- ✓ Suitable for 24/7 Operation, Durable and Long Lasting
- ✓ Monitor, Android or Windows Operating System Options
- ✓ Bracket Options Suitable for Different Mounting Options

Area of Usage




Industry



Automotive



White Appliances



Textile



www.cizgi.net



www.artech-ipc.com.tr



[cizgi-teknoloji](https://www.linkedin.com/company/cizgi-teknoloji)



ÇİZGİ TEKNOLOJİ



Color Options



Protected Against Impact
and Dust



2-Year Standard
Warranty and 5-Year
Spare Parts Supply
Warranty



Suitable for 24/7
Operation, Durable and
Long Lasting




Problem Analysis and
Solution with Remote
Connection



Andon Screen DPC-332-And

ORDER CODE

Cpu	: Quad Core,Cortex A53 1.5 GHz
Feed	: 220VAC
Ram	: 1GB LPDDR3 (Optional 2GB)
HDD	: EEMC 8GB (32GB Optional)
Wi-Fi	: 802.11 b / g (Optional)



SYSTEM

Cpu	: Quad Core,Cortex A53 1.5 GHz
Cache	: N.A.
Memory	: 1G LPDDR3 (Option 2G)
Watchdog Timer	: Support
System	: Android 6.0

INPUT/OUTPUT

Usb Port	: 2 x USB 2.0 Uyumlu
LAN	: 1x LAN
Wireless LAN	: 802.11 b / g (Optional)
Ses	: Support L/R Phone Jack and 10W / 8Rx2

DATA STORAGE

HDD Type	: EEMC
HDD Storage	: EEMC 8GB (32GB Optional)

FEED

Input	: 220VAC
--------------	----------

LCD SCREEN

Size/Type	: 32" LVDS
Max Resolution	: 1920x1080
Pixel Pitch	: 0.311mm x 0.311mm
Max Color	: 16.7 M
Brightness	: 350cd
Contrast Ratio	: 1000/1
Viewing Angle	: 160°(H),160°(V)
Back Light MTBF	: 50,000 Hours


VIDEO OUTPUT

Type	: HDMI/DP/DVI/VGA (Optional)
Max Resolution	: 1920x1080/2560x1600 (Optional)

ENVIRONMENTAL FEATURES

Working Temp	: 0 ~ 60°C
Storage Humidity	: 5 ~ 95% (Non-Condensing)
Case	: Heavy Duty Metal Case
Front Frame	: Metal Framed / Glass Frameless(Optional)
Weight	: Variable According to Screen Size
Dimensions	: Variable According to Screen Size
Mounting	: Wall Mount/Built-In (Optional)





Tel: +90 216 365 82 50
Faks: +90 216 365 82 30



info@cizgi.net
www.cizgi.net



Merve Mah. Necip Fazıl Cad. No:8 34791
Sancaktepe - İstanbul

