




Outdoor Totem TO-555

Artech Outdoor Totem is a digital information solution that allows you to carry out your advertising, promotion and information activities and publish content in many formats without being affected by environmental conditions. It offers the most suitable solutions for corporate needs with its aesthetic design and touch options.

Artech Digital Signage solutions; has the advantages of cost saving and efficiency, time saving, multi-purpose usage, real time announcement publishing prestigious corporate image.



Features;

- ✓ Original Design
- ✓ Customization
- ✓ 3 Year Warranty and Sustainable Spare Parts Supply
- ✓ High Quality Technical Service Support
- ✓ Industrial System Technologies Experience

Area of **Usage**



SHOPPING



HEALTHCARE



EDUCATION















www.artech-ipc.com.tr in cizgi-teknoloji


















Outdoor Totem TO-555



Different Language and Currency Options



Customization with Corporate Color and Logo



IP65 Front Panel Protection



Vandal Resistant Structure



Bright and High Contrast TFT LCD Display












Outdoor Totem TO-555

ORDER CODE

Cpu : All Winner R18, Quad Core, Cortex A53 1.5 GHz Feed : 220VAC Ram : 2GB HDD : 8GB eMMC : 802.11 b / g (Optional) Wi-Fi



SYSTEM

SYSTEIVI	
Сри	: All Winner R18, Quad Core,Cortex A53 1.5 GHz
Cache	: By Cpu
Memory	: 1G LPDDR3 (Option 2G)
Video Ram	: By Cpu
Chipset	: By Cpu
Watchdog Timer	: Support
Android OS	: Android 6.0
INPUT/OUTPUT	
Serial Port	: N.A.
Usb Port	: 2x USB 2.0
LAN	: RJ45 10M/100M
Wireless LAN	: 802.11 b / g (Optional)
Sound	: Support L/R Phone Jack and 10W / 8Rx2
DATA STORAGE	
HDD Type	: Vibration Resistant
HDD Storage	: EMMC8G / EMMC32G (Optional)
FEED	
Input	: 110/220V AC , 12/24V DC , POE
Adapter	: Adapter Included

LCD SCREEN

	Size/Type	: 55" TFT LCD 16:9
Max Color : 1.07M Brightness : 2500cd Contrast Ratio : 1200/1 Viewing Angle : 178°(H),178°(V) Back Light MTBF : 50,000 Hours Screen : 2 ENVIRONMENTAL FEATURES Working Temp : 0 ~ 60°C Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Max Resolution	: 3840 x 2160 Pixels
Brightness : 2500cd Contrast Ratio : 1200/1 Viewing Angle : 178°(H),178°(V) Back Light MTBF : 50,000 Hours Screen : 2 ENVIRONMENTAL FEATURES Working Temp : 0 ~ 60°C Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Pixel Pitch	: 0.429mm x 0.429mm
Contrast Ratio : 1200/1 Viewing Angle : 178°(H),178°(V) Back Light MTBF : 50,000 Hours Screen : 2 ENVIRONMENTAL FEATURES Working Temp : 0 ~ 60°C Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Max Color	: 1.07M
Viewing Angle : 178°(H),178°(V) Back Light MTBF : 50,000 Hours Screen : 2 ENVIRONMENTAL FEATURES Working Temp : 0 ~ 60°C Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Brightness	: 2500cd
Back Light MTBF : 50,000 Hours Screen : 2 ENVIRONMENTAL FEATURES Working Temp : 0 ~ 60°C Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Contrast Ratio	: 1200/1
Screen : 2 ENVIRONMENTAL FEATURES Working Temp : 0 ~ 60°C Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Viewing Angle	: 178°(H),178°(V)
ENVIRONMENTAL FEATURES Working Temp : 0 ~ 60°C Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Back Light MTBF	: 50,000 Hours
Working Temp : 0 ~ 60°C Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Screen	: 2
Storage Humidity : 5 ~ 95% (Non-Condensing) Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	ENVIRONMENTAL F	EATURES
Case : Heavy Duty Metal Case Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Working Temp	: 0~60°C
Front Frame : Stainless Steel Weight : Variable According to Screen Size Dimensions : Variable According to Screen Size	Storage Humidity	: 5 ~ 95% (Non-Condensing)
Weight: Variable According to Screen SizeDimensions: Variable According to Screen Size	Case	: Heavy Duty Metal Case
Dimensions : Variable According to Screen Size	Front Frame	: Stainless Steel
	Weight	: Variable According to Screen Size
Mounting : Floor Fixed	Dimensions	: Variable According to Screen Size
	Mounting	: Floor Fixed









info@cizgi.net



