

Survey Kiosk KM-410 AND

With Artech Customer Satisfaction Kiosk designed for desktop applications, you can determine the factors affecting customer satisfaction and offer fast and reliable solutions.

Artech Digital Signage solutions; has the advantages of cost saving and efficiency, time saving, multi-purpose usage, real time announcement publishing and prestigious corporate image.



Features;

- ✓ Original Design
- ✓ Customization
- ✓ 3 Year Warranty and Sustainable Spare Parts Supply
- ✓ High Quality Technical Service Support
- ✓ Industrial System Technologies Experience



SHOPPING



HEALTHCARE



EDUCATION



SMART CITY



ENTERTAINMENT



TOURISM



www.cizgi.net



www.artech-ipc.com.tr



[cizgi-teknoloji](https://www.linkedin.com/company/cizgi-teknoloji)



ÇİZGİ TEKNOLOJİ



Interactive Design



Large Touch Screen



IP65 Front Panel
Protection



Industrial Stainless Steel
Body



Wide Viewing Angle,
Bright and High Contrast
TFT LCD Display



Survey Kiosk KM-410 AND

ORDER CODE

| | |
|--------------|--|
| Cpu | : All Winner R18, Quad Core,Cortex A53 1.5 GHz |
| Feed | : 110/220V AC , 12/24V DC , POE |
| Ram | : 2GB |
| HDD | : EMMC8G / EMMC32G (Optional) |
| Wi-Fi | : 802.11 b / g (Optional) |



SYSTEM

| | |
|-----------------------|--|
| Cpu | : All Winner R18, Quad Core,Cortex A53 1.5 GHz |
| Cache | : By Cpu |
| Memory | : 1G LPDDR3 (Option 2G) |
| Video Ram | : By Cpu |
| Chipset | : By Cpu |
| Watchdog Timer | : Support |
| Android OS | : Android 6.0 |

INPUT/OUTPUT

| | |
|---------------------|---|
| Serial Port | : 3 x RS-232 ports (Optional) |
| Usb Port | : 2 x USB 2.0 |
| LAN | : 1 x LAN Realtek Gigabit Ethernet |
| Wireless LAN | : 802.11 b / g (Optional) |
| Sound | : Support L/R Phone Jack and 10W / 8Rx2 |

DATA STORAGE

| | |
|--------------------|-------------------------------|
| HDD Type | : Vibration Resistant |
| HDD Storage | : EMMC8G / EMMC32G (Optional) |

FEED

| | |
|----------------|---------------------------------|
| Input | : 110/220V AC , 12/24V DC , POE |
| Adapter | : Adapter Included |

LCD SCREEN

| | |
|------------------------|--------------------------|
| Size/Type | : 10.1" / 16:9 |
| Max Resolution | : 1280 x 800 |
| Pixel Pitch | : 0.297mm x 0.297mm |
| Max Color | : 16.7 M |
| Brightness | : 250cd |
| Contrast Ratio | : 700/1 |
| Viewing Angle | : 160°(H),160°(V) |
| Back Light MTBF | : 50,000 Hours |
| Touch Screen | : 10.1" Capacitive Touch |

VIDEO OUTPUT

| | |
|-----------------------|--------------------|
| Type | : HDMI |
| Max Resolution | : 1920x1080 @ 60Hz |

ENVIRONMENTAL FEATURES

| | |
|-------------------------|-------------------------------------|
| Working Temp | : 0 ~ 60°C |
| Storage Humidity | : 5 ~ 95% (Non-Condensing) |
| Case | : Heavy Duty Metal Case |
| Front Frame | : Stainless Steel |
| Weight | : Variable According to Screen Size |
| Dimensions | : Variable According to Screen Size |
| Mounting | : Wall |

