

The content published with Artech Videowall Solutions, which can be increased to the desired size with the combination of more than one screen and can act as a single screen, enables you to obtain a higher resolution and higher quality image, is presented to your visitors in a more remarkable and impressive way.

In addition to being able to act as a single screen, Artech Videowall It can present weather conditions, exchange rates or informative content prepared by you simultaneously on different screens, significantly increasing the impact and perception of your message.

Our videowall solution increases communication efficiency in conference and meeting halls as well as informative and promotional activities, and helps you to make the event areas more impressive with visual shows with its structure that allows you to obtain higher resolution and higher quality images.



Features;

- ✓ Original Design
- ✓ Customizability
- ✓ 3 Year Warranty and Sustainable Spare Parts Supply
- ✓ High Quality Technical Service Support
- ✓ Industrial System Technologies Experience

Area of Usage



SHOPPING



HEALTHCARE



EDUCATION



SMART CITY



ENTERTAINMENT



TOURISM



www.cizgi.net



www.artech-ipc.com.tr



[cizgi-teknoloji](https://www.linkedin.com/company/cizgi-teknoloji)



ÇİZGİ TEKNOLOJİ



High Resolution Image in
Desired Matrix



Special Production, Each
Screen Is Displayed In Its
Own Resolution



Easy and
Interventionable
Suspension System



ORDER CODE

Cpu	: i5/i7
Besleme	: 110 / 220VAC
Ram	: 8GB/16GB/32GB
HDD	: 1TB



SYSTEM

Cpu	: Intel® Celeron j1900 / Intel® Icore i5/i7
Cache	: 2nd Level Depends on CPU
Memory	: 4GB
Video Ram	: Maks 128 MB Shared Memory
Chipset	: Intel® Soc / QM77
Watchdog Timer	: 255 Level Reset

INPUT/OUTPUT

Usb Port	: 2 x USB 2.0
LAN	: 1 x LAN Realtek Gigabit Ethernet
Sound	: 3W Stereo Output / 5W Speaker (Optional)

DATA STORAGE

HDD Type	: Vibration Resistant Slot
HDD Storage	: 500GB HDD/64 GB/128GB/256 GB SSD

FEED

Input	: 220VAC
-------	----------

LCD SCREEN

Size/Type	: 55" LVDS
Max Resolution	: 1920x1080
Pixel Pitch	: 0.297mm x 0.297mm
Max Color	: 16.7 M
Brightness	: 5000cd
Contrast Ratio	: 700/1
Viewing Angle	: 178°(H),178°(V)
Back Light MTBF	: 50,000 Hours


VIDEO OUTPUT

Type	: HDMI/DP/DVI/VGA (Optional)
Max Resolution	: 1920x1080/2560x1600 (Optional)

ENVIRONMENTAL FEATURES

Working Temp	: 0 ~ 60°C
Storage Humidity	: 5 ~ 95% (Non-Condensing)
Case	: Heavy Duty Metal Case
Front Frame	: Framed / Frameless Glass (Optional)
Weight	: Variable According to Screen Size
Dimensions	: Variable According to Screen Size
Mounting	: Wall /Built-In (Optional)





Tel: +90 216 365 82 50
Faks: +90 216 365 82 30



info@cizgi.net
www.cizgi.net



Merve Mah. Necip Fazıl Cad. No:8 34791
Sancaktepe - İstanbul