

Artech Info Kiosk is a solution designed to turn passenger information and navigation into an enjoyable experience with 7/24 interactive video calling technology to the Call Centers of the areas where it is located, such as airports, train stations. Artech Info Kiosk helps to reduce the density at certain points and also increases the service quality

Artech Digital Signage solutions; has the advantages of cost saving and efficiency, time saving, multi-purpose usage, real time announcement publishing and prestigious corporate image.



### Features;

- ✓ Original Design
- ✓ Customization
- ✓ 3 Year Warranty and Sustainable Spare Parts Supply
- ✓ High Quality Technical Service Support
- ✓ Industrial System Technologies Experience



Providing Customer Support with 24/7 Video Call



Ergonomic Design for Disabled Use




Stylish and Vandal Resistant Design



Document Scanner Feature



2 Internal Webcams and Microphones



### ORDER CODE

<b>Cpu</b>	: Intel® Core i5
<b>Feed</b>	: 220VAC
<b>Ram</b>	: 16GB
<b>HDD</b>	: 1 TB HDD
<b>Wi-Fi</b>	: 802.11 b / g (Optional)
<b>Reader/Printer</b>	: Optional



### SYSTEM

<b>Cpu</b>	: Intel® Core i5
<b>Cache</b>	: By CPU
<b>Memory</b>	: 4GB / 8GB / 16GB
<b>Video Ram</b>	: Maks 128 MB Shared Memory
<b>Chipset</b>	: Intel® Soc / QM77
<b>Watchdog Timer</b>	: 255 Level Reset
<b>System Fan</b>	: 1 x 4cm / 10CFM

### INPUT/OUTPUT

<b>Serial Port</b>	: N.A
<b>Usb Port</b>	: 4 x USB 2.0
<b>LAN</b>	: 2 x LAN Realtek Gigabit Ethernet,
<b>Wireless LAN</b>	: 802.11 b / g (Optional)
<b>Sound</b>	: 2x10W Stereo Speaker
<b>Expansion Slot</b>	: Optional
<b>Barcode Reader</b>	: Optional
<b>Rfid Reader</b>	: Optional
<b>Microphone</b>	: 6mm Microphone
<b>Camera</b>	: x1 4MP Dome IP \ x1 2MP Dome IR \ x1 Usb Camera

### DATA STORAGE

<b>HDD Type</b>	: 2.5" HDD/SSD
<b>HDD Storage</b>	: 1 TB HDD

### FEED

<b>Input</b>	: 220VAC
--------------	----------

### LCD SCREEN

<b>Size/Type</b>	: 46" LVDS & 24"LVDS
<b>Max Resolution</b>	: 1920x1080
<b>Pixel Pitch</b>	: 0.53025 mm x 0.53025mm & 0.274.5 X 0.274.5mm
<b>Max Color</b>	: 16.7 M
<b>Brightness</b>	: 500 cd & 250 cd
<b>Contrast Ratio</b>	: 1000/1
<b>Viewing Angle</b>	: 160°(H),160°(V)
<b>Back Light MTBF</b>	: 50,000 Hours
<b>Touch Screen</b>	: 24" Capacitive Touch

### VIDEO OUTPUT

<b>Type</b>	: Optional—VGA / DVI / HDMI
<b>Max Resolution</b>	: 1920x1080

### ENVIRONMENTAL FEATURES

<b>Working Temp</b>	: 0 ~ 60°C
<b>Storage Humidity</b>	: 5 ~ 95% (Non-Condensing)
<b>Case</b>	: Heavy Duty Metal Case
<b>Front Frame</b>	: Metal Framed
<b>Weight</b>	: Variable According to Screen Size
<b>Dimensions</b>	: Variable According to Screen Size
<b>Mounting</b>	: Floor Standing, Floor Fixed & Mobile(Optional)

